## **SEALED BIDS**

# CITY OF CARTERSVILLE GEORGIA

Sealed bids will be received by City of Cartersville for (1) **Grapple Truck** until **January 24, 2024** at 330 South Erwin Street, Cartersville, Georgia, 30120 until **2:00 PM** for the purpose of evaluating costs and operating parameters on one new 27 Yard Grapple Truck. Upon completion of the evaluation by the selection committee an order may be placed. Bids received after the designated time will not be considered.

### **BID DESCRIPTION**

The item up for bid is: Grapple Truck (Diesel) with 27 yard dump bed.

Envelope containing the bid must be sealed, addressed to WADE WILSON, PUBLIC WORKS DIRECTOR, CITY OF CARTERSVILLE, 330 SOUTH ERWIN STREET, CARTERSVILLE, GA 30120 and marked as follows: "BID FOR 27 YARD GRAPPLE TRUCK".

Bids will be required to remain open for acceptance or rejection for thirty (30) calendar days after the date of opening bids.

THE RIGHT TO REJECT ANY OR ALL BIDS AND TO WAIVE INFORMALITIES IS RESERVED TO THE OWNER, CITY OF CARTERSVILLE, GEORGIA.

## **GENERAL SPECIFICATION**

**MODEL:** Unit shall be a 2024 or newer year model.

**WARRANTY:** Minimum 1-year all-inclusive warranty on all components.

**KEYS:** Bidder must supply three (3) sets of keys.

**DELIVERY:** Bidder must perform a complete pre-delivery service prior to delivery of

equipment. All units are F.O.B., City of Cartersville Garage located at 500 S. Tennessee Street, Cartersville, GA 30120. Contact Bill Trott at

770-387-5786 to arrange delivery.

**MANUALS:** One (1) complete service manual, digital or printed

One (1) complete parts manual, digital or printed

One (1) operator's manuals.

One (1) training video (if available)

**TRAINING** Upon delivery to end-user Bidder will provide instruction to operators on

operation of body.

Two days of training on repair procedures to be provided by a Factory Qualified representative to repair technicians. Onsite training at the City of

Cartersville Garage should be scheduled at time of order.

BIDDER There shall be \$500,000.00 minimum of product liability coverage by the bidder to protect the City of Cartersville. Certification shall be provided

with bid.

Preference may be given to Bidder who has a local dealer with a reasonable amount of parts inventory for the unit that has been bid and a complete service facility. On new models or equipment not previously purchased by the City of Cartersville, the selection committee may elect to have a demonstration of the models being considered.

|     | <u>Price</u>                                    |        |
|-----|---|--------|
|     | Dump Body Make:                                 | Model: |
|     | Chassis Make:                                   | Model: |
|     |   |        |
|     | 27 yd Grapple Truck                             |        |
|     | Total equipment price                           | \$     |
|     |   |        |
|     | Delivery Date                                   |        |
|     | Number of days for delivery from date of order: |        |
|     |   |        |
|     |   |        |
|     |   |        |
| Com | pany  |        |
|     |   |        |
| Ву: | (Name)  |        |
|     |   |        |
|     | (Title)   |        |

# Grapple Truck with 27 Yard Dump Bed Bidding Specifications

#### 1.0 INTENT

It is the intent of this specification to provide for the purchase of one (1) new and unused Grapple Truck with 27 Yard Dump Bed to be used by the Solid Waste Department.

The City of Cartersville Solid Waste Department (SWD) has evaluated different styles of Grapple Trucks and has determined that this published specification is best suited for the SWD needs in terms of quality and features. This specification shall not be interpreted as restrictive but rather as a measure of quality and performance against which all other Grapple Trucks will be compared.

In comparing proposals, comparison will not be confined to price only. The successful bidder will be one whose product is judged as best serving the interests of the SWD when price, product, quality and delivery are considered. The SWD also reserves the right to reject any or all bids or any part thereof, and to waive any minor technicalities. A contract will be awarded to the bidder submitting the lowest responsible bid meeting the requirements.

## 2.0 EQUIVALENT PRODUCT

Bids will be accepted for consideration on any make or model that is equal or superior to the Grapple Truck specified. Decisions of equivalency will be at the sole interpretation of the SWD. A blanket statement that equipment proposed will meet all requirements will not be sufficient to establish equivalence. An original manufacturer's brochure of the proposed product and detailed specifications of the truck and body is to be submitted with proposal.

### 3.0 INTERPRETATIONS

In order to be fair to all bidders, no oral interpretations will be given to any bidder, as tothe meaning of the specification documents or any part thereof. Every request for such a consideration shall be made in writing. Based on such inquiry, the SWD may choose to issue an addendum in accordance with local and state laws.

## 4.0 GENERAL

The specification herein states the minimum requirements of the SWD. All bids must be regular in every respect. Unauthorized conditions, limitations, or provisions shall be cause for rejection. The SWD will consider as irregular or non-responsive any and all bids that are not prepared and submitted in accordance with the bid document and specification, or any bid lacking sufficient technical literature to enable the SWD to make a reasonable determination of compliance to the specification. It shall be the bidder's responsibility to carefully examine each item of the specification. Failure to offer a completed bid or failure to respond to each section of the technical specification (COMPLY: YES NO) will cause the proposal to be rejected without review as non responsive. All variances, exceptions and/or deviations shall be fully described in the appropriate section. Deceit in responding to the specification will be cause for rejection.

# 5.0 SPECIFICATIONS

Quantity: 1

Refuse Grapple Truck
Model Year: Current

12-Volt Starter

2 Dual Purpose Batteries

| Specify Year:  |             |              |                    |
|--|-------------|--------------|--------------------|
| Vendor Information:  |             |              |                    |
| The vehicle offered shall be comparable with detailed requi    | rements li  | sted below   |                    |
| Bidders are to indicate in the "Meets or Exceeds Specification | ons" colum  | n if bid spe | ecifications are   |
| met and can provide additional comments if necessary. If the   | ne Meets o  | r Exceeds S  | Specifications     |
| column is not properly marked, or it is incomplete, your bid   | will not be | 2            |                    |
| considered for award.  |             |              |                    |
| (specifications on this sheet are minimum specification)       |             |              |                    |
| Supporting Data:   |             |              |                    |
| Bidders must furnish catalog pages, specification sheets, or   | similar dat | ta to suppo  | rt statements made |
| in Meets or Exceeds Specifications Column. Failure to furnis   | h required  | l data may   | be considered as a |
| cause for rejection of bid.                                    |             |              |                    |
|  |             |              |                    |
| Meets or Exceeds Specifications                                |             |              |                    |
|  | YES         | NO           | Comments           |
| Refuse Grapple Truck   |             |              |                    |
| - Copace Crappie Track   |             |              |                    |
| ENGINE   |             |              |                    |
| Cummins /PX9   |             |              |                    |
| 300 HP   |             |              |                    |
| 300 111  |             |              |                    |
|  |             |              |                    |
|  |             |              |                    |
| TRANSMISSION   |             |              |                    |
| 4500 Automatic   |             |              |                    |
| PTO  |             |              |                    |
| FIO  |             |              |                    |
| ELECTRICAL   |             |              |                    |
| Multiplex w/central power                                      |             |              |                    |
| distribution   |             |              |                    |
| 12-volt lighting LED systems                                   |             |              |                    |
| Circuits Numbered and Color Coded                              |             |              |                    |
| Key Start and Shutdown   |             |              |                    |
| ,  |             |              |                    |
|  | <u> </u>    | <u> </u>     |                    |
| STARTING AND CHARGING  |             |              |                    |

| FRAME                              |  |  |  |  |
|------------------------------------|--|--|--|--|
| 120,000 psi Heat Treated           |  |  |  |  |
| AXLE AND SUSPENSION                |  |  |  |  |
| Front Axle 12,000 lb               |  |  |  |  |
| rear axle 21,000 lb                |  |  |  |  |
| I Beam Suspension                  |  |  |  |  |
|                                    |  |  |  |  |
|                                    |  |  |  |  |
| BRAKES                             |  |  |  |  |
| Front -Air Disk                    |  |  |  |  |
| Rear -Air Drum                     |  |  |  |  |
| ABS                                |  |  |  |  |
|                                    |  |  |  |  |
| WHEELS                             |  |  |  |  |
| Steel                              |  |  |  |  |
| Tires 11R22.5                      |  |  |  |  |
|                                    |  |  |  |  |
| FUEL TANK                          |  |  |  |  |
| 100 Gallon                         |  |  |  |  |
|                                    |  |  |  |  |
| BATTERY BOXES                      |  |  |  |  |
| Steel with Step Cover              |  |  |  |  |
|                                    |  |  |  |  |
| BUMPERS                            |  |  |  |  |
| Channel Bumper Steel               |  |  |  |  |
| Tow Hooks Front and Rear           |  |  |  |  |
|                                    |  |  |  |  |
| CAB                                |  |  |  |  |
| Aluminum                           |  |  |  |  |
| Standard Hood                      |  |  |  |  |
| LED Headlamps                      |  |  |  |  |
| West Coast Breakaway Heated        |  |  |  |  |
| Mirrors                            |  |  |  |  |
| Telescoping Tilt Steering Column   |  |  |  |  |
| High Back Drivers Air Comfort Seat |  |  |  |  |
| 3/4 Passenger Bench Seat           |  |  |  |  |
| Blue Tooth Radio                   |  |  |  |  |
| Cup Holders                        |  |  |  |  |
| Back up Alarm                      |  |  |  |  |
| Daytime Running Lights             |  |  |  |  |
| 3 Sets of Keys                     |  |  |  |  |
| Rear View color camera w/7" screen |  |  |  |  |

| Bulk Dump Bed:  |     |    |          |  |  |  |
|---|-----|----|----------|--|--|--|
|   | YES | NO | Comments |  |  |  |
| Rear Steel Dump   |     |    |          |  |  |  |
| Scissor or Duel Cylinder lift                               |     |    |          |  |  |  |
| 27 Yard   |     |    |          |  |  |  |
| Single Axle   |     |    |          |  |  |  |
| ABS   |     |    |          |  |  |  |
| Mudflaps  |     |    |          |  |  |  |
| LED Lighting  |     |    |          |  |  |  |
| LED Strobes front/rear and on Stabilizers                   |     |    |          |  |  |  |
| Barn Doors w/ Cam Locks                                     |     |    |          |  |  |  |
| Tarp System   |     |    |          |  |  |  |
| Controls located at work station                            |     |    |          |  |  |  |
| Safety Reflective Tape                                      |     |    |          |  |  |  |
| Fire Extinguisher   |     |    |          |  |  |  |
|   |     |    |          |  |  |  |
| Grapple:  | YES | NO | Comments |  |  |  |
| 20' Boom  |     |    |          |  |  |  |
| Lift 3000lbs @ 20'  |     |    |          |  |  |  |
| Rotary Driven Clam Shell                                    |     |    |          |  |  |  |
| Slewing Angle 425 Degrees                                   |     |    |          |  |  |  |
| Replaceable anti-Scalping Blades                            |     |    |          |  |  |  |
| H Frame Stabilizers w/ LED Strobes                          |     |    |          |  |  |  |
| 2 Pole Mounted Telescoping Flood/ Work Lights               |     |    |          |  |  |  |
| Mounted Behind Work Stations                                |     |    |          |  |  |  |
| Protected Hydraulic Lines                                   |     |    |          |  |  |  |
|   |     |    |          |  |  |  |
| Total Chassis Price   | _   |    |          |  |  |  |
| Total Dump Body Price                                       | _   |    |          |  |  |  |
| Anticipated number of weeks until delivery (after approval) | :   |    |          |  |  |  |
|   |     |    |          |  |  |  |
| List additional options or other pertinent information.     |     |    |          |  |  |  |
|   |     |    | _        |  |  |  |
|   |     |    | -        |  |  |  |
|   |     |    |          |  |  |  |
| Bid Submitted By: Vendor                                    |     |    |          |  |  |  |
| Contact Person  |     | -  |          |  |  |  |
| Telephone Number  |     |    |          |  |  |  |

# Exceptions & Deviations

| Bidder shall fully describe every variance exception and/or deviation. List the item number here and fully explain any items in non-compliance with specification. Additional sheets may be used if required. |
|---|
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |